# author index


Abbas, N. 199
Abburra, R. E. 405
Abdalla, M. F. 487
Abdel-Galil, F. M. 151
Abou-Zaid, M. M. 151
Adams, R. P. 107, 207, 429
Al-Hassan, J. M. 467
Al-Wakeel, S. A. M. 49
Aldrich, J. R. 369
Anderson, D. M. W. 39, 43, 413
Anthoni, U. 377
Arbo, M. M. 435
Arslanian, R. L. 345
Averett, J. E. 529
Ayasse, M. 453

Backeljau, T. 57
Bagneres, A. G. 63
Barriel, V. 199
Bergquist, P. R. 349
Bergstrom, G. 157
Bianchi, A. 533
Bianchi, G. 533
Biller, A. 549
Birt, T. P. 75
Bjerkeng, B. 303
Bjornland, T. 307
Blouw, D. M. 559
Bohlmann, F. 149
Bohm, B. A. 491
Boppre, M. 549
Britton, G. 317
Burger, H. 175
But, P. P.-H. 251
Buth, D. G. 559
Butler, L. G. 183, 287
Butler, T. L. 253

Cambie, R. C. 349
Cane, J. H. 359
Cardini, F. 317
Carroll, S. P. 369
Chelli, M. 317
Christophersen, C. 377
Chu, K. H. 555
Clancy, K. M. 215
Clark, L. E. 145
Clark, W. D. 145
Clement, J. L. 13, 63
Constant, H. 491
Cool, L. 117, 125

da Silva Almeida, S. A. 87
Dahl, A. E. 157
Davidson, W. S. 75
Davis, B. J. 565
de la Luz Vasquez, M. 53
Debourcieu, L. 281
Denton, M. F. 409
Dillinger, R. E. Jr 75

Downum, K. R. 153
Dupre, S. 149

El-Hadidi, M. N. 49, 487
English, S. 439
Ernst, L. 549

Federici, B. A. 461
Ferreres, F. 245
Fitzsimons, J. M. 81
Frohlich, D. R. 539

Gagnon, D. 321
Galeffi, C. 481
Gallagher, J. C. 5
Gast, S. J. 359
Gelernter, W. D. 461
Gershenzon, J. 325
Giannasi, D. E. 393
Gluchoff-Fiasson, K. 221
Gonzalez, A. G. 25
Gray, A. I. 251
Green, J. M. 75
Greenaway, W. 439
Grosso, N. R. 405
Guerin, P. 199
Gutierrez-Navarro, A. M. 25
Guzman, C. A. 405

Haglund, T. R. 559
Harper, K. T. 45
Hartl, G. B. 175
Hartley, T. G. 251
Hartmann, T. 549
Hashim, O. K. 151
Hoch, P. C. 529
Horner, J. D. 211
Hu, Y.-J. 251

Iason, G. 287
Ingham, J. L. 329

Jaroszewski, J. W. 435
Jay, M. 221
Joulie, C. 63

Kartha, K. K. 107
Kawashty, S. A. 487
Kelecom, A. 87
Kendall, E. 107
Kernan, M. R. 349
Khotimchenko, S. V. 93
Khuda-Bukhsh, A. R. 381
King, R. A. 485
Klochkova, N. G. 93
Knowles, P. 111
Knox, E. 149

Lange, C. 63
Larsen, C. 377

Lee, M. L. 45
Lee, S.-C. 555
Lenoir, A. 63
Lewis, G. P. 39
Leys, R. 453
Liaaen-Jensen, S. 303
Liston, A. 239
Lucotte, G. 199
Luis, J. G. 25
Lusby, W. R. 369
Lydeard, C. 169

Maddalena, T. 573
Maffei, M. 493
Makhubu, L. P. 429
Manguin, S. 447
Marr, K. L. 345
May, B. 475
Mead, E. W. 45
Merfort, I. 17
Mistretta, O. 239
Mizushima, U. 11
Mole, S. 183, 287
Mondragon, B. 345
Morell, C. J. 183
Moujir, L. 25

Nagnan, P. 13
Nakamura, F. 11
Nelson, D. R. 45
Nickrent, D. L. 253, 267
Nicoletti, M. 481
Nielsen, M. V. 303
Nielsen, P. H. 377
Nieuwhof, M. 399
Nishimoto, R. T. 81
Nowbahari, E. 63
Ntabeni, O. 481

Obon-de Castro, C. 245
Ohmoto, T. 11
Olafsdottir, E. S. 435
Olive, D. M. 467
Oliver, J. E. 369

Padhi, B. K. 381
Pamilo, P. 453
Parkhurst, R. M. 429
Passreiter, C. M. 17
Percy, R. G. 517
Perry, D. J. 111
Pichon-Prum, N. 281
Picman, A. K. 325

Quader, A. 251

Ravelo, A. G. 25
Raynie, D. E. 45
Rehner, S. A. 409
Rettig, J. H. 393
Rieseberg, L. H. 239
Risler, J.-L. 29
Rivera-Nunez, D. 245
Roberts, M. F. 485

Rogler, J. C. 183
Rolland, O. 281
Rouge, P. 29, 419
Rovirosa, J. 53
Royse, D. J. 475
Rudmann, A. A. 369
Ruedi, M. 573
Ruffie, J. 199

Sahashi, N. 11
Saleh, N. A. M. 49, 151, 487
San-Martin, A. 53
Sandbrink, J. M. 233
Sankawa, U. 11
Schilling, E. E. 19, 139
Schneider, E. F. 325
Selva, A. 317
Senatore, F. 103
Sibanda, S. 481
Siebenaller, J. F. 565
Simon, J.-P. 321
Simsek, M. 467
Snajberk, K. 117, 125
Spring, O. 19, 139
Stabile, J. E. 5
Stell, A. L. 267
Stermitz, F. R. 45, 345
Stevens, K. L. 229
Stock, M. W. 359
Suchentrunk, F. 175
Sundberg, S. D. 409
Swain, L. A. 153

Takahashi, S. 11
Teixeira, V. L. 87
Tengo, J. 453
Tinus, R. W. 215
Tomas-Barberan, F. A. 245
Tomas-Lorente, F. 245
Towers, G. H. N. 11
Tsoi, S. C. M. 555
Turner, C. E. 229

van Brederode, J. 233
van Bruggen, A. C. 233
van Eijk, J. P. 399
van Raamsdonk, L. W. D. 399
Van Wyk, B.-E. 503
Varloot, L. 419
Vaskovsky, V. E. 93
Vasseur, L. 321
Verdoorn, G. H. 503
Vernet, M. 303
Viricel, M.-R. 221
Vogel, P. 573

Wagner, M. R. 215
Wang Weiping 39, 43, 413
Wassgren, A.-B. 157
Waterman, P. G. 251
Waters, R. M. 369
Wauthy, G. 57
Wendel, J. F. 517
Whatley, F. R. 439

Willing, R. 175
Willuhn, G. 17
Wilson, R. R. Jr 565
Witt, S. C. 229
Witte, L. 549
Wolde-Yohannes, L. 429
Wood, D. L. 359
Wooten, M. C. 169
Wurtzel, E. T. 5

Yang, S.-L. 485
Yeh, F. C. 111
Yong, H.-S. 573

Zardini, E. M. 529
Zavarin, E. 117, 125
Ziegler, H. V. 57
Zink, R. M. 81
Zygadlo, J. A. 405

# subject index


*Abies concolor*, seasonal patterns of allelochemicals in . . . . . 215
*Acacia senegal*, chemotaxonomy of gum exudates from the complex . . . . . 413
Acyl histamines, from leaves of *Zanthoxylum dipetalum* . . . . . 345
*Ageratina deltoidea*, methoxylated flavonoids from . . . . . 485
Agkistrodontinii-Crotalinae, electrofocusing of venoms from 281
Algae,
chemotaxonomy of diterpenes from a marine brown . . . . . 87
chemotaxonomy of polar lipids from 49 sp. of marine macrophytic . . . . . 93
carotenoid composition of a marine dinoflagellate . . . . . 307
Alkaloids,
from 3 sp. of *Arctomecon* . . . . . 45
chemotaxonomic significance of in *Tetradium trichotomum* . . . . . 251
protopine-type from leaves of *Zanthoxylum dipetalum* . . . . . 345
chemotaxonomy of in tribe Crotalarieae . . . . . 503
transformation of plant pyrrolizidine into novel insect by arctiid moths . . . . . 549
Allelochemicals, seasonal patterns of in 3 conifer sp. . . . . 215
*Allium tricoccum*, isoenzymatic variability among populations and varieties of . . . . . 321
*Andrena*, Dufour's gland compounds and enzyme patterns in 2 sp. of . . . . . 453
Anthocyanidins, chemosystematics of in flowers of *Tulipa* sp. . . . . 399
Antimicrobial activity, of triterpene quinones from the Celastraceae . . . . . 25
Ants, variations in cuticular hydrocarbons of *Cataglyphis* . . . . . 63
Apes, retro-transposition of human homologue sequence 49f in . . . . . 199
*Arceuthobium*,
allozymic relationships between *A. campylopodum* and its allies . . . . . 253
electrophoretic evidence for genetic differentiation in 2 races of *A. tsugense* . . . . . 267
*Arctomecon*, alkaloid composition in 3 sp. of . . . . . 45
*Arius*, analysis of mitochondrial DNA from 3 sp. of . . . . . 467
*Arnica sachalinensis*, flavonoids from . . . . . 17
*Boisea*, analysis of exocrine secretions from sp. of . . . . . 369
Bud exudate, composition of from *Populus angustifolia* . . . . . 439
Caprini, molecular evolution of proteins in . . . . . 175
*Carex nigromarginata*, foliar flavonoids from the complex . . . . . 393
Carotenoids,
composition of from phytoplankton, *Chrysochromulina polylepis* . . . . . 303
identification of from marine dinoflagellate, *Thoracosphaera heimii* . . . . . 307
occurrence of triphasiaxanthin in leaves of 2 Cycads . . . . . 317
chemosystematics of in flowers of *Tulipa* species . . . . . 399
*Cataglyphis cursor*, variation in cuticular hydrocarbons in . . . . . 63
*Catostomus catostomus*, variation of transferrin in . . . . . 75
Celastraceae, structure-antimicrobial activity relationships between triterpene quinones from . 25
*Ceratozamia*, occurrence of triphasiaxanthin in 2 sp. of . . . . . 317
Chemosystematics,
of flavonoid glycosides among Egyptian sp. of *Fagonia* . . . . . 49
of monoterpenes and fatty acids in single-needle pinyons . . . . . 125
of flavonoids from Egyptian *Chrozophora* sp. . . . . 151
biochemical, of the Caprini and Rupicaprini . . . . . 175
of polyacetylenes in Centaureinae and Carduinae . . . . . 229
of carotenoids from the marine dinoflagellate *Thoracosphaera heimii* . . . . . 307
of phytoalexin formation within tribe Phaseoleae of the Leguminosae . . . . . 329
of floral pigment composition in *Tulipa* sp. . . . . 399
biochemical, of marsh flies in *Sepedon fuscipennis* group . . . . . 447
of allozyme variation in *Morchella* sp. . . . . 475
of flavonoids from Egyptian *Euphorbia* sp. . . . . 487
of flavonoids from 10 sections of *Ludwigia* (Onagraceae) . . . . . 529
Chemotaxonomy,
of phenolics in the Psilotaceae . . . . . 11
of flavonoids from *Arnica sachalinensis* . . . . . 17
of sesquiterpene lactones in 2 hybrids of *Helianthus* . . . . . 19
of polysaccharide and protein components of 8 Leguminosae gum exudates . . . . . 39
of sterols from sponges of genera *Reniera* and *Haliclona* . . . . . 53

## SUBJECT INDEX


Chemotaxonomy,
of diterpenes from the marine brown alga, *Dictyota dichomata* . . . . . 87
of polar lipids from 49 sp. of marine macrophytic . . . . . 93
of sesquiterpene lactones from *Helianthus* sect. *Ciliares* . . . . . 139
of flora scents in *Hypecoum* sect. *Hypecoum* . . . . . 157
of volatile oil composition in *Juniperus procera* . . . . . 207
of external and vacuolar flavonoids in *Sideritis* sp. . . . . 245
significance of alkaloids and liminoids in *Tetradium trichotomum* . . . . . 251
of foliar flavonoids from *Carex nigromarginata* complex . . . . . 393
of gum exudates from *Acacia senegal* complex . . . . . 413
of bud exudate composition in *Populus angustifolia* . . . . . 439
of alkaloids in tribe Crotalarieae (Fabaceae) . . . . . 503
*Chrozophora*, flavonoids from 5 Egyptian sp. of . . . . . 151
*Chrysochromulina polylepis*, composition of carotenoids from . . . . . 303
*Collospongia auris*, scalaranesesterterpenes from the sponge . . . . . 349
*Creatonotos transiens*, transformation of pyrrolizidine alkaloids by . . . . . 549
*Crocidura fuliginosa*, biological, karyological and genetical evidence for speciation . . . . . 573
Crustaceans,
identification of off-flavors from commercial North Atlantic . . . . . 377
enzyme polymorphism in 3 sp. of *Metanephrops* . . . . . 555
Cyanohydrin glucosides, identification in sp. of Turneraceae . . . . . 435
Dibromophenols, as off-flavors in commercial crustaceans . . . . . 377
*Dictyota dichomata*, chemotaxonomy of diterpenes from . . . . . 87
Diterpenes,
chemotaxonomy of from the brown alga, *Dictyota dichomata* . . . . . 87
antifungal activity of acids from *Helianthus annuus* . . . . . 325
DNA,
restriction fragment length polymorphisms in *Skeletonema* . . . . . 5
retro-transposition of human Y-specific sequence 49f in apes . . . . . 199
infraspecific variation in chloroplast from *Silene* sp. . . . . 233
ribosomal, evidence for hybridization in *Lotus* sp. . . . . 239
chloroplast, structural map of *Sedum oreganum* . . . . . 409
restriction enzyme analysis of virus from beet armyworm . . . . . 461
analysis of mitochondrial from 3 sp. of catfish . . . . . 467
Dufour's gland, composition of in *Andrena ferox* and *A. jacobi* . . . . . 453
Electrophoresis,
of DNA RFLP's in *Skeletonema costatum* . . . . . 5
analysis of enzymes in the mite, *Platynothrus peltifer* . . . . . 57
of transferrin in the longnose sucker . . . . . 75
of proteins in Hawaiian stream goby, *Lentipes concolor* . . . . . 81
analysis of enzymes from populations of *Thuja occidentalis* . . . . . 111
of allozyme variations in mosquitofish . . . . . 169
of 23 proteins from the Caprini and Rupicaprini . . . . . 175
of DNAs from man and apes treated with restriction enzyme *Eco*RI . . . . . 199
of chloroplast DNAs from populations of *Silene latifolia* and *S. dioica* . . . . . 233
of ribosomal DNAs from hybrids between *Lotus* sp. . . . . 239
of 7 enzyme systems in *Arceuthobium campylopodum* and allies . . . . . 253
of 11 enzyme systems in 2 races of *Arceuthobium tsugense* . . . . . 267
focusing of venoms to distinguish Agkistrodontinii-Crotalinae . . . . . 281
of 7 enzyme systems in populations and varieties of *Allium tricoccum* . . . . . 321
analysis of 17 enzyme systems from populations of *Ips* bark beetles . . . . . 359
of xanthine dehydrogenase isozymes in teleostean fish . . . . . 381
structural map of chloroplast DNA from *Sedum oreganum* . . . . . 409
of 22 enzymes in communally nesting *Andrena* bees . . . . . 453
restriction enzyme analysis of DNA from beet armyworm . . . . . 461
comparison of cleavage patterns of mitochondrial DNA from 3 sp. of catfish . . . . . 467
of 12 enzyme systems from sp. of *Morchella* . . . . . 475
analysis of 17 enzyme systems from *Gossypium darwinii* . . . . . 517
of 17 enzyme systems from 3 sp. of *Metanephrops* from Taiwan . . . . . 555
analysis of 19 presumptive loci in the 'white stickleback' . . . . . 559
of 35 protein loci in the *Crocidura fuliginosa* sp. complex . . . . . 573
Enzymes,
allozyme variation in 2 populations of *Platynothrus peltifer* . . . . . 57
allozyme variation of *Thuja occidentalis* in northwestern Ontario . . . . . 111
allozyme variation in *Gambusia affinis* and *G. holbrooki* . . . . . 169

Enzymes,
allozymic relationships between *Arceuthobium campylopodum* and allies . . . . . 253
allozyme variations in 2 races of *Arceuthobium tsugense* . . . . . 267
isoenzyme variability in *Allium tricoccum* . . . . . 321
electrophoretic analysis of 17 from *Ips* populations . . . . . 359
isozymes of xanthine dehydrogenase in teleostean fish . . . . . 381
isozyme comparison in marsh flies of *Sepedon fuscipennis* group . . . . . 447
patterns in communally nesting *Andrena* bees . . . . . 453
interspecific allozyme variation among sp. of *Morchella* . . . . . 475
allozyme analysis of *Gossypium darwinii* from the Galapagos Islands . . . . . 517
substrate specificity of esterases from *Megachile rotundata* . . . . . 539
polymorphism of in 3 sp. of *Metanephrops* from Taiwan . . . . . 555
allozyme variation in an undescribed form of *Gasterosteus* . . . . . 559
heart-type lactate dehydrogenase (LDH-B4) homologs from macrourids . . . . . 565
allozyme variations in the *Crocidura fuliginosa* sp. complex . . . . . 573
*Eriodictyon trichocalyx*, leaf surface flavonoids from . . . . . 491
Essential oils,
variation in populations of *Tagetes minuta* . . . . . 405
plasticity and genotypic variation in some *Mentha* X *verticillata* hybrids . . . . . 493
*Euphorbia*, chemosystematics of flavonoids from Egyptian sp. of . . . . . 487
*Fagonia*, phytochemistry and phylogenetic affinities among Egyptian sp. . . . . 49
Fatty acids, chemosystematics of in single-needle pinyons . . . . . 125
Fish,
variation of transferrin in the longnose sucker . . . . . 75
genetic variation in the Hawaiian stream goby . . . . . 81
allozyme variation in the western and eastern mosquitofish . . . . . 169
xanthine dehydrogenase isozymes in 20 sp. of teleostean . . . . . 381
analysis of mitochondrial DNA from 3 sp. of ariid catfish . . . . . 467
allozyme variation and recognition of 'white stickleback' . . . . . 559
comparison of LDH-B4 allozymes of macrourids . . . . . 565
Flavonoids,
chemotaxonomy of in *Arnica sachalinensis* . . . . . 17
chemosystematics of glycosides in Egyptian sp. of *Fagonia* . . . . . 49
seasonal variation in leaf exudate aglycones from *Isocoma acradenia* . . . . . 145
chemosystematics of from 5 Egyptian *Chrozophora* sp. . . . . 151
detection of new patterns in *Setaria italica* . . . . . 221
chemotaxonomy of external and vacuolar in *Sideritis* sp. . . . . 245
chemotaxonomy of foliar from *Carex nigromarginata* complex . . . . . 393
methoxylated, from *Ageratina deltoidea* . . . . . 485
chemosystematics of from Egyptian *Euphorbia* sp. . . . . 487
leaf surface, aglycones, from *Eriodictyon trichocalyx* . . . . . 491
systematics of from 10 sections of *Ludwigia* (Onagraceae) . . . . . 529
Floral scents, composition and taxonomy of in *Hypecoum* sect. *Hypecoum* . . . . . 157
Fungi,
sterols, fatty and amino acids from sp. of *Stropharia* and *Stereum* . . . . . 103
interspecific allozyme variations among sp. of *Morchella* . . . . . 475
Furanocoumarins, phototoxicity of in 87 sp. of the Moraceae . . . . . 153
*Gambusia*, allozyme variation in natural contact zone between 2 sp. of . . . . . 169
*Gasterosteus*, recognition of the 'white stickleback' . . . . . 559
Glycosides, 1,3(5)-diphenyl-1-pentene related from *Hypoxis angustifolia* . . . . . 481
*Gossypium*, allozyme diversity and introgression in *G. darwinii* from the Galapagos Islands . . . 517
Gum exudates,
composition and properties of 8 from American Leguminosae . . . . . 39
composition of from sp. of *Sesbania* . . . . . 43
chemotaxonomy of from *Acacia senegal* complex . . . . . 413
*Helianthus*,
sesquiterpenoids in *H.* X *multiflorus* and *H.* X *laetiflorus* . . . . . 19
sesquiterpene lactones in *H.* sect. *Ciliares* . . . . . 139
antifungal activity of 5 terpenoids from *H. annuus* . . . . . 325
Hexane extractables, geographical variation in leaves of *Phytolacca dodecandra* . . . . . 429
Hydrocarbons, variations in cuticular of the ant, *Cataglyhpis cursor* . . . . . 63
Hydroxyacetophenones, prenylated, from *Senecio johnstonii* . . . . . 149
*Hypecoum*, composition and taxonomy of floral scents in sect. *Hypecoum* . . . . . 157
*Hypoxis angustifolia*, 1,3(5)-diphenyl-1-pentene related glycosides from . . . . . 481

## SUBJECT INDEX


Insects,
toxins from *Pinus pinaster* against subterranean termites . . . . . 13
variations in cuticular hydrocabons of the ant, *Cataglyphis* . . . . . 63
electrophoretic and morphometric analysis of bark beetles . . . . . 359
identification of exocrine secretions of scentless plant bugs . . . . . 369
population genetics and biochemical systematics of marsh flies . . . . . 447
composition of Dufour's gland secretions in communally nesting bees . . . . . 453
virus epizootics in populations of beet armyworms . . . . . 461
substrate specificity of esterases from a solitary bee . . . . . 539
transformation of plant pyrrolizidine alkaloids by arctiid moths . . . . . 549
*Ips*, electrophoretic and morphometric analysis of *grandicollis* group . . . . . 359
*Isocoma acradenia*, seasonal variation in leaf exudate flavonoids from . . . . . 145
*Jadera*, analysis of exocrine secretions from sp. of . . . . . 369
*Juniperus procera*, composition of volatile oil from . . . . . 207
Karyotype, variations in the *Crocidura fuliginosa* sp. complex . . . . . 573
Lectins,
evidence for internal sequence homologies in from the Leguminosae . . . . . 29
hydrophobic cluster analysis of from the Leguminosae . . . . . 419
Leguminosae,
evidence for internal sequence homologies in lectins from . . . . . 29
composition and properties of gum exudates from 8 American sp. . . . . 39
composition of gum exudates from some sp. of *Sesbania* . . . . . 43
chemosystematics of phytoalexin formation within tribe Phaseoleae . . . . . 329
structural homologies between lectins from . . . . . 419
chemotaxonomy of alkaloids in tribe Crotalarieae . . . . . 503
*Lentipes concolor*, genetic variation in proteins from populations of . . . . . 81
Liminoids, chemotaxonomic significance of in *Tetradium trichotomum* . . . . . 251
*Lotus*, evidence for hybridization between island endemic sp. of . . . . . 239
*Ludwigia*, flavonoid systematics of 10 sections of . . . . . 529
Macrouridae, comparison of LDH-B4 allozymes from 10 sp. of . . . . . 565
*Megachile rotundata*, substrate specificity of esterases from . . . . . 539
*Mentha* X *verticillata*, variation in essential oils from hybrids of . . . . . 493
*Metanephrops*, enzyme polymorphism in 3 sp. from Taiwan . . . . . 555
Mites, allozyme variation in populations of *Platynothrus* . . . . . 57
Monoterpenes,
variability in composition from woods of populations of *Pinus monticola* . . . . . 117
differentiation in relation to morphology of single-needle pinyons . . . . . 125
variation in essential oils from *Mentha* X *verticillata* hybrids . . . . . 493
Moraceae, phototoxicity of furanocoumarins in 87 sp. of . . . . . 153
*Morchella*, interspecific allozyme variations among sp. of . . . . . 475
*Niesthrea*, analysis of exocrine secretions from sp. of . . . . . 369
Peptide maps, of LDH-B4 allozymes from macrourids . . . . . 565
Phenolics,
as chemical markers of the Psilotaceae . . . . . 11
dibromophenols from commercial crustaceans from North Atlantic zone . . . . . 377
Phototoxins, from 87 sp. of the Moraceae . . . . . 153
Phytoalexins, chemosystematics of formation within tribe Phaseoleae of the Leguminosae . . . . 329
*Phytolacca dodecandra*, geographical variation in leaf chemistry of . . . . . 429
*Picea engelmanii*, seasonal patterns of allelochemicals in . . . . . 215
*Pinus*,
terpenes from *P. pinaster* as toxins against subterranean termites . . . . . 13
monoterpene variability of *P. monticola* wood . . . . . 117
chemical differentiation in relation to morphology of single-needle pinyons . . . . . 125
Plants, $C_3$ and $C_4$, composition of epicuticular waxes in . . . . . 533
Polar lipids, chemotaxonomy of from marine macrophytic algae . . . . . 93
Polyacetylenes, distribution of in 8 closely related thistles . . . . . 229
*Populus angustifolia*, composition of bud exudate from . . . . . 439
Proteins,
evidence for internal sequence homologies in Leguminosae lectins . . . . . 29
variation of transferrin in the longnose sucker . . . . . 75
genetic variation of in *Lentipes concolor* . . . . . 81
molecular evolution of in the Caprini and Rupicaprini . . . . . 175
electrofocusing of venoms used in therapeutics . . . . . 281
survey of proline-rich salivary in mammals . . . . . 287
hydrophobic cluster analysis of Leguminosae lectins . . . . . 419

*Pseudotsuga menziesii*, seasonal patterns of allelochemicals in . . . . . 215
Psilotaceae, phenolics as characteristic chemical markers for . . . . . 11
*Reticulitermes*, terpenes from *Pinus pinaster* as toxins against . . . . . 13
Rupicaprini, molecular evolution of proteins in . . . . . 175
Scentless plant bugs, exocrine secretions of *Jadera*, *Boisea* and *Niesthrea* sp. . . . . 369
*Sedum oreganum*, structural map of chloroplast DNA from . . . . . 409
*Selaginella lepidophylla*, comparison of sugars in growing and desiccated . . . . . 107
*Senecio johnstonii*, prenylated p-hydroxyacetophenone derivatives from . . . . . 149
*Sepedon fuscipennis*, genetics and systematics of the group . . . . . 447
*Sesbania*, composition of gum exudates from some sp. of . . . . . 43
Sesquiterpenoids,
chemotaxonomy of lactones in *Helianthus* X *multiflorus* and *H.* X *laetiflorus* . . . . . 19
chemotaxonomy of lactones from *Helianthus* sect. *Ciliares* . . . . . 139
antifungal activity of lactones from *Helianthus annuus* . . . . . 325
Sesterterpenes,scalarane, from the sponge, *Collospongia auris* . . . . . 349
*Setaria italica*, detection of new flavonoid patterns in . . . . . 221
*Sideritis*, chemotaxonomy of flavonoids in Portugese sp. of . . . . . 245
*Silene*, patterns of infraspecific chloroplast DNA variation of sect. *Elisanthe* . . . . . 233
*Skeletonema costatum*, molecular analysis of intraspecific variation in . . . . . 5
*Spodoptera exigua*, virus epizootics in Californian populations of . . . . . 461
Sponges,
chemotaxonomy of sterols in *Reniera* and *Haliclona* . . . . . 53
scalarane sesterterpenes from *Collospongia auris* . . . . . 349
*Stereum*, sterols, fatty and amino acids from 2 sp. of . . . . . 103
Sterols,
chemotaxonomy of in sponges of genera *Reniera* and *Haliclona* . . . . . 53
composition of from 5 sp. of Basidiomycetes . . . . . 103
*Stropharia*, sterols, fatty and amino acids from 3 sp. of . . . . . 103
Sugars, comparison of in growing and desiccated *Selaginella lepidophylla* . . . . . 107
*Tagetes minuta*, variations in essential oils from populations of . . . . . 405
Tannins,
growth reduction of herbivores by consumption of . . . . . 183
nonlinear effects of water deficits on concentration in foliage . . . . . 211
defense against in diets of herbivores . . . . . 287
Terpenes,
from *Pinus pinaster* as toxins against subterranean termites . . . . . 13
composition of in volatile leaf oils of *Juniperus procera* . . . . . 207
*Tetradium trichotomum*, chemotaxonomic significance of alkaloids and liminoids . . . . . 251
Thistles, polyacetylene distribution in subtribes Centaureinae and Carduinae . . . . . 229
*Thoracosphaera hiemii*, composition of native carotenoids from . . . . . 307
*Thuja occidentalis*, allozyme variation in populations of from northwestern Ontario . . . . . 111
Transferrin, variation in the longnose sucker, *Catostomus catostomus* . . . . . 75
Triphasiaxanthin, occurrence in leaves of 2 Cycads . . . . . 317
Triterpenoids, structure-antimicrobial activity of quinones in the Celastraceae . . . . . 25
*Tulipa*, pigment composition in flowers from sp. of . . . . . 399
Turneraceae, cyanohydrin glucosides from sp. of . . . . . 435
Venoms, electrofocusing of to distinguish Agkistrodontinii-Crotalinae . . . . . 281
Virus, restriction enzyme analysis of DNA from beet armyworm . . . . . 461
Waldbauer ratio, use of in studies of herbivore growth reduction by tannins . . . . . 183
Water deficit, nonlinear effects of on foliar tannin concentration . . . . . 211
Wax, epicuticular, composition of in $C_3$ and $C_4$ plants . . . . . 533
Wood,
monoterpene variability in *Pinus monticola* . . . . . 117
chemical differentiation in relation to morphology of single-needle pinyons . . . . . 125
Xanthine dehydrogenase, isozymes of in 20 sp. of teleostean fish . . . . . 381
*Zanthoxylum dipetalum*, acyl histamines and alkaloids from leaves of . . . . . 345

Compiled by Dr Peter J. Holloway, Department of Agricultural Sciences,
University of Bristol, AFRC Institute of Arable Crops Research,
Long Ashton Research Station, Bristol BS18 9AF, UK.